

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method for fabricating a liquid crystal display panel, comprising:

forming a UV sealant on either one of first and second substrates;

forming a liquid crystal layer between the first and second substrates;

attaching the first and second substrates;

hardening the UV sealant other than the UV sealant on the regions where the UV sealant and at least one scribing line are crossed by irradiating a UV ray on the attached substrates with masking regions where the UV sealant and at least one scribing line are crossed, wherein the UV sealant on the regions where the UV sealant and at least one scribing line are crossed is not entirely cured; and

cutting the bonded substrates into a plurality of unit cells,

wherein forming the liquid crystal layer includes dropping ~~at least one droplet~~ a plurality of droplets of liquid crystal onto either one of the first and second ~~substrate~~ substrates.

2. (Original) The method of claim 1, wherein the masking regions in the irradiating a UV ray on the attached substrates includes masking upper and lower side portions of the crossed regions between the UV sealant and the scribing line.

3. (Original) The method of claim 1, wherein the masking regions in the irradiating a UV ray on the attached substrates includes masking left and right side portions of the crossed regions between the UV sealant and the scribing lines.

4. (Original) The method of claim 1, wherein the masking regions in the irradiating a UV ray on the attached substrates includes masking an active region in addition to masking upper and lower side portions of the crossed regions between the UV sealant and the scribing lines.

5. (Previously Presented) The method of claim 4, wherein the masking regions in the irradiating a UV ray on the attached substrates includes masking left and right side portions of the crossed regions between the UV sealant and the scribing lines.

6. (Original) The method of claim 1, further comprising forming a main UV sealant to surround the plurality of unit cells.

7. (Original) The method of claim 6, further masking an active region inside the main UV sealant.

8. (Original) The method of claim 6, wherein the UV sealant forms at an outside of the main UV sealant.

9. (Original) The method of claim 6, wherein the main UV sealant includes one of monomer and oligomer each having both ends coupled to an acrylic group.

10. (Original) The method of claim 6, wherein the main UV sealant includes one of monomer and oligomer each having one end coupled to an acrylic group and the other end coupled to an epoxy group.

11. (Original) The method of claim 1, wherein the UV sealant includes one of monomer and oligomer each having both ends coupled to an acrylic group.

12. (Original) The method of claim 1, wherein the UV sealant includes one of monomer and oligomer each having one end coupled to an acrylic group and the other end coupled to an epoxy group.

13. (Original) The method of claim 1, further comprising heating the UV ray irradiated substrates with masking crossed regions between the UV sealant and the scribing lines, wherein the UV sealant includes one of monomer and oligomer each having one end coupled to an acrylic group and the other end coupled to an epoxy group.

14. (Original) The method of claim 1, wherein the scribing line is formed on the bonded substrates.

15. (Original) The method of claim 1, wherein the cutting the bonded substrates into a plurality of unit cells is performed by scribing and breaking simultaneously.

16. (Original) The method of claim 1, further comprising forming at least one column spacer on the first substrate.

17. (Canceled).

18. (Currently Amended) The method of claim 1 ~~17~~, wherein the UV sealant is formed on the first substrate, and the plurality of ~~at least one~~ droplets of liquid crystal are ~~is~~ dropped onto the second substrate.

19. (New) The method of claim 1, wherein forming the liquid crystal layer includes dropping at least one droplet of liquid crystal onto each of the plurality of unit cells.

20. (New) The method of claim 1, wherein the hardening includes hardening all the UV sealant other than the UV sealant on the regions where the UV sealant and at least one scribing line are crossed.